



8 Boswell Drive \* Bristol, TN 37620 \* USA  
 Tel: (866) 768-9700 \* Fax: (423) 968-9709  
 www.cobraamerica.com \* rfq@cobraamerica.com



TYPE	WIDTH	LENGTH
220 PIW 2ply 3/16 x 1/16"	22"	139
	24"	182
	30"	140
	42"	277

TYPE	WIDTH	LENGTH
330 PIW 3ply 3/16 x 1/16"	30"	120
	30"	152
	48"	122
	60"	375
	72"	176

TYPE	WIDTH	LENGTH
330 PIW 3ply 1/4 x 1/16"	12"	925
	23"	176
	24"	344
	24"	245
	30"	142
	30"	231
	36"	100
	36"	130
	48"	227
	48"	415
48"	181	

MSHA		
TYPE	WIDTH	LENGTH
330 PIW 3ply 1/4 x 1/8"	36"	444
	36"	108

TYPE	WIDTH	LENGTH
440 PIW 4ply 1/8 x 1/16"	18"	250
	36"	154

TYPE	WIDTH	LENGTH
800 PIW 4ply 1/4 X 1/16"		
	21"	422

TYPE	WIDTH	LENGTH
440 PIW 4ply 3/16 x 1/16"		
	36"	378

TYPE	WIDTH	LENGTH
440 PIW 4ply 1/4 x 1/16"	12"	120
	24"	665
	30"	498
	36"	304
	36"	182
	48"	309
	48"	264
48"	264	

TYPE	WIDTH	LENGTH
600 PIW 3ply 3/8 x 3/32"	30"	161
	36"	218

TYPE	WIDTH	LENGTH
600 PIW 3ply 3/8 x 1/8"	30"	112
	36"	230
	36"	302
	42"	163
	42"	286
	42"	124
	60"	233

TYPE	WIDTH	LENGTH
600 PIW 3ply 1/4 x 1/16"	60"	263
	72"	505
	72"	518

(15/32" to 1/2" overall)		
TYPE	WIDTH	LENGTH
700 PIW 4ply	30"	236
3/16 X 1/16"	30"	334



8 Boswell Drive \* Bristol, TN 37620 \* USA  
 Tel: (866) 768-9700 \* Fax: (423) 968-9709  
 www.cobraamerica.com \* rfq@cobraamerica.com

MSHA		
TYPE	WIDTH	LENGTH
600 PIW 3ply 1/4 x 1/16"	36"	1003
	36"	1014
	36"	1030
	36"	1007
	36"	1000
	42"	997
	42"	997
	42"	984

Straight Warp		
TYPE	WIDTH	LENGTH
400 PIW 3/16 X 1/16"	64"	663
	overall 9/32"	

Straight Warp		
TYPE	WIDTH	LENGTH
400 PIW 1/4 x 1/8"	24"	315
	7/16 to 1/2" overall	

Straight Warp		
TYPE	WIDTH	LENGTH
400 PIW 1/4 x 1/16"	25"	375

BS- Steel Breaker		
TYPE	WIDTH	LENGTH
400 PIW 1/4 x 1/8"	36"	758

ABOVEGROUND MSHA		
Straight Warp		
TYPE	WIDTH	LENGTH
600 PIW	24"	554
5/32 x 3/32"	24"	331
	36"	1007

Straight Warp		
TYPE	WIDTH	LENGTH
400 PIW 1/4 x 1/8"	30"	190
	42"	256
	42"	276
	48"	184
	48"	120

Straight Warp		
TYPE	WIDTH	LENGTH
400 PIW 1/4 x 1/8"	24"	198
	36"	140
	36"	156
	48"	117

Straight Warp		
TYPE	WIDTH	LENGTH
600 PIW 1/4 x 1/8"	42"	241

Straight Warp		
TYPE	WIDTH	LENGTH
800 PIW 1/4 x 1/8"	48"	758
	48"	618

220PIW 2ply 1/4 x 3/16, 20" wide) (moulded edge)	882
PVC EP 1000/1 1000 1+1 BS	222
PVC EP 1400/1 1350 2+2 BS	258
Deltafat 220PIW 3ply 40" 5/32 x 5/64, 3/8" overall (9.28mm)	617
Dyna-P 440 PIW 1ply 40" 5/32 x 5/64	328
BLAK 440PIW 4ply 36" 3/32 x 3/64	574
PVC 450 CBS BLACK 51" (PVC630/1-1296 1+1)- MOULDED EDGES	100



8 Boswell Drive \* Bristol, TN 37620 \* USA  
Tel: (866) 768-9700 \* Fax: (423) 968-9709  
[www.cobraamerica.com](http://www.cobraamerica.com) \* [rfq@cobraamerica.com](mailto:rfq@cobraamerica.com)